

Q	Answer	Mark	AO1	AO2	AO3	Total															
	(but drive can be expensive) cheap compared with other secondary storage mediums <ul style="list-style-type: none">Portability reason – Tape is physically small and can be easily stored securely and safely for example in a fire proof safe																				
3a	DHCP - assigning dynamic IP addresses to devices on a network HTTP - transferring multimedia web pages over the Internet.	1 1	1.1b 1.1b			2															
3b	<ul style="list-style-type: none">The file transfer protocol, breaks data into packets and can re-send lost or damaged packetsit allows packets that have arrived in a random order to be reassembledThis is convenient for downloading files if network traffic is slows or some of your packets are dropped / arrive out of orderHowever, the FTP protocol won't work as well for streaming media as it is more important to continue to receive new packets rather than retransmitting lost or dropped packetsVoice and video traffic is can be transmitted using UDPReal-time video and audio streaming protocols are designed to handle occasional lost packets, so only slight degradation in quality occurs, rather than large delays if lost packets were retransmitted	1 1 1 1 1		2.1a 2.1a 2.1a 2.1a 2.1a		6															
3c	The exchange of signals between devices to establish their readiness to communicate. Example: Establishing a printers readiness to print	1 1	1.1b			2															
4a	AND <table><tr><th>Input (A)</th><th>Input (B)</th><th>Output (A AND B)</th></tr><tr><td>0</td><td>0</td><td>0</td></tr><tr><td>0</td><td>1</td><td>0</td></tr><tr><td>1</td><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td><td>1</td></tr></table>	Input (A)	Input (B)	Output (A AND B)	0	0	0	0	1	0	1	0	0	1	1	1	1 1	1.1a	2.1a		2
Input (A)	Input (B)	Output (A AND B)																			
0	0	0																			
0	1	0																			
1	0	0																			
1	1	1																			
4b	Any one of: <ul style="list-style-type: none">Picks out / produces right bit / least significant bit (which is 1)Determines whether right bit / least significant bit is a 0 or 1	1		2.1a		1															
5	Serial transmission: data is sent one bit at a time along the same data line Advantage (any one of:) <ul style="list-style-type: none">requires only two wires compared with 8 or 16 in parallelserial can travel longer distances than parallelsimpler interface / circuit board / fewer lines required	1 1	1.1a 1.1b			4															

Q	Answer	Mark	AO1	AO2	AO3	Total
	Parallel transmission: all bits in a byte are sent simultaneously along separate lines	1	1.1a			
	Advantage <ul style="list-style-type: none"> transmission is faster than serial transmission 	1	1.1b			
6a	Fragmentation: related data is split and stored on different parts of the disc. If data is fragmented, it takes longer for the disc heads to move between parts of the file, which slows the process of loading it. Defragmentation is the process where files are physically re-arranged on disk so that they are no longer fragmented and the parts of each file are stored together. This improves the speed of accessing data from disk.	1 1 1 1	1.1b 1.1b 1.1b 1.1b			4
6b	Any three of: <ul style="list-style-type: none"> SSD uses direct access to data (files) so there would be no improvement in read times as there's no physical read-head to move Defragmentation may perform "trim" command which may slightly improve the speed of future write operations SSD is currently made out NAND based flash memory NAND based flash memory has a limited lifespan – defragmentation process may shorten its lifespan. 	3	1.1b			3
7	Backup <ul style="list-style-type: none"> Backup is a redundant copy of files, usually stored separately from the original system It can be used to recover data in the event of catastrophic failure of the original storage media Generations of files <ul style="list-style-type: none"> A generation file backup system involves storage of several of the most recent versions of a master file <i>Accept grandfather-father-son method</i> Useful if one version is corrupted: the previous version(s) is still available Transaction logs <ul style="list-style-type: none"> A transaction log is used with on-line updating - stores all the update data It can be used in case of failure - could restore data by being combined with previous master/backup file, with minimal data loss. 	1 1 1 1 1 1	1.1b 1.1b 1.1b 1.1b 1.1b 1.1b			6
8a	$\begin{array}{r} 00110110_2 \\ 00101110_2 \\ \hline 01100100 \end{array}$ <p>Hexadecimal value = 64_{16}</p>	1 1		2.1a 2.1a		2
8b	10001100_2	1		2.1a		1
8c	11110101_2 One method is: <ul style="list-style-type: none"> From RHS, rewrite it up to and including the first one 	1 1	 1.1b	2.1a		3

Q	Answer	Mark	AO1	AO2	AO3	Total						
	inputs to check that they are the same											
11b	<div>1 mark for check correctly described</div> <div>1 mark for each example of invalid data that the check described would detect</div> <table><tr><th>Suitable checks</th><th>Example of invalid data</th></tr><tr><td>Range check – entries between sensible limits, e.g. 0-60</td><td>-1 or 74</td></tr><tr><td>Type check – all entries should be integer</td><td>B or #</td></tr></table> <div>NOTE - Do not accept length check, format check or look up check and examples of invalid data must follow check described</div>	Suitable checks	Example of invalid data	Range check – entries between sensible limits, e.g. 0-60	-1 or 74	Type check – all entries should be integer	B or #	<div>1</div> <div>1</div>		<div>2.1a</div> <div>2.1a</div>		2
Suitable checks	Example of invalid data											
Range check – entries between sensible limits, e.g. 0-60	-1 or 74											
Type check – all entries should be integer	B or #											
11c	<div>1 mark for check correctly described</div> <div>1 mark for each example of invalid data that the check described would detect</div> <table><tr><th>Suitable checks</th><th>Example of invalid data</th></tr><tr><td>Format check - email address has a string@string.string</td><td>abcxyz\$em ail.co.uk</td></tr></table> <div>NOTE - Do not accept length check, type check or look up check and examples of invalid data must follow check described</div>	Suitable checks	Example of invalid data	Format check - email address has a string@string.string	abcxyz\$em ail.co.uk	<div>1</div> <div>1</div>		<div>2.1a</div> <div>2.1a</div>		2		
Suitable checks	Example of invalid data											
Format check - email address has a string@string.string	abcxyz\$em ail.co.uk											
12	<div>1 declare Rainfall array (1..12) of integer</div> <div>2 set Total = 0</div> <div>3</div> <div>4 for Count = 1 to 12</div> <div>5 input Rainfall(Count)</div> <div>6 set Total = Total + Rainfall(Count)</div> <div>7 endfor</div> <div>8</div> <div>9 set Mean = Total / 12</div> <div>10</div> <div>11 output "Total = ", Total</div> <div>12 ouput "Mean = ", Mean</div> <div>13</div> <div>14 output "Months above Mean = "</div> <div>15 for Count = 1 to 12</div> <div>16 if Rainfall(Count) > Mean then</div> <div>17 output Count</div> <div>18 Endfor</div> <div>Marking</div> <div><ul style="list-style-type: none">• Declare array and initialise variables• Input loop structure + increment• Calculate mean• Output Total and Mean• Output loop structures• Detect and output above mean months</div>	<div>1</div> <div>1</div> <div>1</div> <div>1</div> <div>1</div> <div>1</div>			<div>3.1b</div> <div>3.1b</div> <div>3.1b</div> <div>3.1b</div> <div>3.1b</div> <div>3.1b</div>	6						
13a	<ul style="list-style-type: none">• Alpha testing – when software is issued to a restricted	1	1.1b			3						

Q	Answer	Mark	AO1	AO2	AO3	Total
	<p>audience of testers within the developer's own company</p> <ul style="list-style-type: none"> • Beta testing - when a version is released to a number of people external to the company e.g. privileged customers in exchange for their constructive comments • Acceptance testing - when testing is carried out to prove to the customer / end user that the system works correctly. 	<p>1</p> <p>1</p>	<p>1.1b</p> <p>1.1b</p>			
13b	<ul style="list-style-type: none"> • Perfective - is when the performance/functionality of the program has to be enhanced • Adaptive – is when the program has to be altered e.g. to run on a different operating system • Corrective – is while the program is being used and an error is discovered and corrected 	<p>1</p> <p>1</p> <p>1</p>	<p>1.1b</p> <p>1.1b</p> <p>1.1b</p>			3
14	<p>For each stage, 1 mark for each bullet point up to a maximum of 2 marks No marks for simply naming stages</p> <p>Lexical analysis</p> <ul style="list-style-type: none"> • Comments and unneeded spaces are removed • Keywords, constants and identifiers are replaced by 'tokens' • A symbol table is created which holds the addresses of variables, labels and subroutines <p>Syntax analysis</p> <ul style="list-style-type: none"> • Tokens are checked to see if they match the spelling and grammar expected, using standard language definitions. This is done by parsing each token to determine if it uses the correct syntax for the programming language. • If syntax errors are found, error messages are produced <p>Semantic analysis</p> <ul style="list-style-type: none"> • Variables are checked to ensure that they have been properly declared and used • Variables are checked to ensure they are of the correct data type, e.g. real values are not being assigned to integers • Operations are checked to ensure that they are legal for the type of variable being used e.g. you would not try to store the result of a division operation as an integer <p>Code generation</p> <ul style="list-style-type: none"> • Machine code is generated • Code optimisation may be employed to make it more efficient / faster / less resource intense 	<p>8</p>	<p>1.1b</p>			8
15	<p>Indicative content</p> <ul style="list-style-type: none"> • Data compression reduces the file size <p>Lossy data compression</p> <ul style="list-style-type: none"> • Compressed files can never be recovered exactly as 	<p>8</p>	<p>1.1b</p>			8

Q	Answer	Mark	AO1	AO2	AO3	Total
	<p>they were before they were compressed</p> <ul style="list-style-type: none"> When compressed files are decompressed they do not give back the original data, i.e. data is lost Because lossy compression cannot be decompressed to yield the exact original data, it is not a good method of compression for critical data, such as textual data It is most useful for digitally sampled analogue data, such as sound, video, graphics or images Algorithms for lossy compression vary, but many use a threshold level truncation. This means that a level is chosen past which all data is truncated, e.g. in a sound file, the very high and low frequencies, which the human ear can not hear, may be truncated from the file Some examples of lossy data compression algorithms are JPEG, MPEG, and MP3. <p>Lossless data compression</p> <ul style="list-style-type: none"> The original message can be decompressed back to its original form (recovers all original data) Lossless data compression works by finding repeated patterns in data and compressing those patterns in an efficient manner. For this reason, lossless data compression is also referred to as redundancy reduction. Because redundancy reduction is dependent on patterns in the message, it does not work well on random messages. Lossless data compression is ideal for text. Most of the algorithms for lossless compression are based on the LZ compression method developed by Lempel and Ziv. One type of text encoding which is very effective for files with long strings of repeating bits is RLE. RLE stands for Run Length Encoding RLE uses a sliding dictionary method of the LZ algorithm. The sliding dictionary method utilizes pointers within the compressed file that point to previously represented strings of bits within the file. Here is an example of a message which could be effectively encoded with RLE: <ul style="list-style-type: none"> The word the, is the most frequently used word in the English language. The string "the" could be represented only once and could be pointed to by all later calls to that string Huffman coding works by analyzing the frequency of elements in data. The elements with the highest frequency get assigned the shortest encoding (with the fewest bits). Elements with lower frequencies get assigned longer encodings (with more bits) Huffman coding could be used to compress sound files, particularly recordings containing frequencies of that heard in a human voice. <p><i>Other compression techniques accepted.</i></p>					

Band	AO1.1b Max 8 marks
3	7 - 8 marks <p>The candidate has:</p> <ul style="list-style-type: none"> written an extended response that has a sustained line of reasoning which is coherent, relevant, and logically structured shown clear understanding of the requirements of the question and a clear knowledge of the indicative content. Clear knowledge is defined as a response that provides seven to eight relevant detailed points on lossy and lossless data compression techniques, which relate to an extensive amount of the indicative content addressed the question appropriately with minimal repetition and no irrelevant material has presented a balanced discussion and justified their answer with examples used appropriate technical terminology referring to the indicative content confidently and accurately.
2	3 - 6 marks <p>The candidate has:</p> <ul style="list-style-type: none"> written a response that has an adequate line of reasoning with elements of coherence, relevance, and logical structure shown adequate understanding of the requirements of the question and a satisfactory knowledge of the topic of changeover as specified in the indicative content. Satisfactory knowledge is defined as a response that provides three to six points on lossy and lossless data compression techniques as signalled in the indicative content. Up to five marks could be awarded to a response that provides detailed points on one data compression techniques (lossy or lossless) has presented a discussion with limited examples used appropriate technical terminology referring to the indicative content.
1	1 - 2 marks <p>The candidate has:</p> <ul style="list-style-type: none"> written a response that that lacks sufficient reasoning and structure produced a discussion which is not well developed attempted to address the question but has demonstrated superficial knowledge of the topics specified in the indicative content. Superficial knowledge is defined as a response that provides one to two points on lossy and lossless data compression techniques as signalled in the indicative content used limited technical terminology referring to the indicative content.
0	0 marks <p>Response not credit worthy or not attempted.</p>